



L Number	Hits	Search Text	DB	Time stamp
-	13532	(link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)	USPAT;	2003/01/28
		and ((user computer client member) nearl1	EPO; JPO;	14:04
		(profil\$4 attribut\$4))	DERWENT;	
1		-	IBM_TDB	
-	2113	(link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)	USPAT;	2003/01/28
		same ((user computer client member) near7	EPO; JPO;	14:08
		(profil\$4 attribut\$4))	DERWENT;	
			IBM_TDB	
-	2780	(link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)	USPAT;	2003/01/29
		same ((user computer client member) near7	EPO; JPO;	11:45
		(profil\$4 propert\$6 attribut\$4))	DERWENT;	
	676	(1-+06	IBM_TDB USPAT;	2003/01/28
-	676	(select\$6 pick\$4 click\$4) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same	EPO; JPO;	14:23
		((user computer client member) near7	DERWENT;	14.25
		(diser computer criefit member) hear/ (profil\$4 propert\$6 attribut\$4))	IBM TDB	
	630	(select\$6 pick\$4 click\$4) same (link\$4	USPAT;	2003/01/29
-	630	hyperlink\$4 hyper-link\$4 hyper\$7) same	EPO; JPO;	16:09
		((user client member) near7 (profil\$4	DERWENT;	10.05
	*	propert\$6 attribut\$4))	IBM TDB	
_	50	(network\$4 internet web) and ((select\$6	USPAT;	2003/01/28
		pick\$4 click\$4) same (link\$4 hyperlink\$4	EPO; JPO;	15:13
		hyper-link\$4 hyper\$7) same ((user client	DERWENT;	
		member) near7 (profil\$4 propert\$6	IBM_TDB	
		attribut\$4))) and (wildcard\$4 wild\$6)	_	
-	20	((select\$6 pick\$4 click\$4) same (link\$4	USPAT;	2003/01/28
		hyperlink\$4 hyper-link\$4 hyper\$7) same	EPO; JPO;	15:26
		((user client member) near7 (profil\$4	DERWENT;	!
		propert\$6 attribut\$4))) and (wildcard\$4	IBM_TDB	
		wild\$6) and (709/\$.ccls. 717/\$.ccls.		
		710/\$.ccls. 345/\$.ccls.)	Habya	2002/01/20
-	241	(select\$6 pick\$4 click\$4) same (link\$4	USPAT;	2003/01/28
		hyperlink\$4 hyper-link\$4 hyper\$7) same	EPO; JPO; DERWENT;	10.21
		((user client member) near7 (profil\$4 propert\$6 attribut\$4)) and (709/\$.ccls.	IBM TDB	1
		717/\$.ccls. 710/\$.ccls. 345/\$.ccls.)	1011-100	İ
_	91	(select\$6 pick\$4 click\$4) near6 (link\$4	USPAT;	2003/01/28
		hyperlink\$4 hyper-link\$4 hyper\$7) same	EPO; JPO;	16:23
		((user client member) near7 (profil\$4	DERWENT;	
		propert\$6 attribut\$4)) and (709/\$.ccls.	IBM TDB	
		717/\$.ccls. 710/\$.ccls. 345/\$.ccls.)		
-	47	(server nearl1 (cookie ((internet\$4 web	USPAT;	2003/01/31
		site) near2 (fil\$4 information data)))	EPO; JPO;	10:12
		nearll (sav\$4 stor\$4)) same (ad	DERWENT;	
		advertis\$4)	IBM_TDB	0000 (55 (57
-	810	((web site internet html java) same	USPAT;	2003/01/31
		(program\$5 application)) and (link\$4	EPO; JPO;	09:41
	,	hyperlink\$4 hyper-link\$4 hyper\$7) same	DERWENT;	
		((user computer client member) near7	IBM_TDB	
	140	(profil\$4 propert\$6 attribut\$4))	USPAT;	2003/01/30
-	140	((web site internet html java) near6	EPO; JPO;	08:46
]		(program\$5 application)) and (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) near7	DERWENT;	05.70
		((user computer client member) near7	IBM TDB	
		(profil\$4 propert\$6 attribut\$4))	1]
	61	((web site internet html java) near6	USPAT;	2003/01/30
		(program\$5 application)) and (link\$4	EPO; JPO;	08:48
		hyperlink\$4 hyper-link\$4 hyper\$7) near7	DERWENT;	
		((user computer client member) near7	IBM_TDB	
		(profil\$4 propert\$6 attribut\$4)) and	_	
		(program\$5 near9 (link\$4 hyperlink\$4		1
		hyper-link\$4 hyper\$7))		
-	129	((web site internet html java) near6	USPAT;	2003/01/29
		(program\$5 application)) and (link\$4	EPO; JPO;	16:08
		hyperlink\$4 hyper-link\$4 hyper\$7) near7	DERWENT;	
		((user client member) near7 (profil\$4	IBM_TDB	
		propert\$6 attribut\$4))	· 	<u></u>

<u>-</u>	23	((web site internet html java) near6	USPAT;	2003/01/29
]		(program\$5 application)) and (select\$6	EPO; JPO;	16:43
]		pick\$4 click\$4) near8 (link\$4 hyperlink\$4	DERWENT;	
!		hyper-link\$4 hyper\$7) near11 ((user	IBM TDB	
!		client member) near7 (profil\$4 propert\$6	_	
}		attribut\$4))		
	13		USPAT;	2003/01/29
_	13	(program\$5 application)) and (select\$6	EPO; JPO;	17:01
			DERWENT;	17.01
		pick\$4 click\$4) near8 (link\$4 hyperlink\$4	T .	
		hyper-link\$4 hyper\$7) near11 ((user	IBM_TDB	
		client member) near7 profil\$4)		1 ((
-	25		USPAT;	2003/01/30
	1	(program\$5 application)) and (link\$4	EPO; JPO;	08:49
		hyperlink\$4 hyper-link\$4 hyper\$7) near7	DERWENT;	1
	}	((user computer client member) near7	IBM_TDB	
		(profil\$4 propert\$6 attribut\$4)) and		
		(program\$5 near3 (link\$4 hyperlink\$4		
	1	hyper-link\$4 hyper\$7))		
_	137		USPAT;	2003/01/30
	13.	(program\$5 application)) and (link\$4	EPO; JPO;	10:05
		hyperlink\$4 hyper-link\$4 hyper\$7) same	DERWENT;	-0.00
	[1
		((user computer client member) near7	IBM_TDB	
		(profil\$4 propert\$6 attribut\$4)) and		1
		((link\$4 hyperlink\$4 hyper-link\$4 hyper\$7	1	
		web site internet html java) near5 tag\$4)		
-	121		USPAT;	2003/01/30
		(program\$5 application)) and (link\$4	EPO; JPO;	16:04
		hyperlink\$4 hyper-link\$4 hyper\$7) same	DERWENT;	
•		((user computer client member) near7	IBM TDB	
		(profil\$4 propert\$6 attribut\$4)) and	_	
		((link\$4 hyperlink\$4 hyper-link\$4 hyper\$7		
		web site internet html java) near5 tag\$4)		
_	85	((web site internet html java) nearl	USPAT;	2003/01/30
	""	(program\$5 application)) and (((web site	EPO; JPO;	14:57
			DERWENT;	14.57
		internet html java link\$4 hyperlink\$4	1	
	İ	hyper-link\$4 hyper\$7) near5 tag\$4) same	IBM_TDB	1
		((user computer client member) near7		
		<pre>(profil\$4 propert\$6 attribut\$4)))</pre>		
-	14	((web site internet html java) near11	USPAT;	2003/01/30
		(program\$5 application)) and (((web site	EPO; JPO;	10:25
}		internet html java link\$4 hyperlink\$4	DERWENT;	
		hyper-link\$4 hyper\$7) near5 tag\$4) same	IBM_TDB	
		((user computer client member) near7	_	1
		(profil\$4)))	1	
-	5	(((web site internet html java) same	USPAT;	2003/01/30
		(program\$5 application)) and (link\$4	EPO; JPO;	15:28
		hyperlink\$4 hyper-link\$4 hyper\$7) same	DERWENT;	
		((user computer client member) near7	IBM TDB	
		(profil\$4 propert\$6 attribut\$4)) and		
		((link\$4 hyperlink\$4 hyper-link\$4 hyper\$7		
	Ì	web site internet html java) near5		
			70.4	
		tag\$4)) and mandator\$4 and (choos\$4		
	_	select\$5 pick\$4 click\$4)		2002/01/20
-	7		USPAT;	2003/01/30
		(program\$5 application)) and (link\$4	EPO; JPO;	16:10
		hyperlink\$4 hyper-link\$4 hyper\$7) same	DERWENT;	
		((user computer client member) near7	IBM_TDB	
		(profil\$4 propert\$6 attribut\$4)) and	_	
ļ	[((link\$4 hyperlink\$4 hyper-link\$4 hyper\$7	I	
		web site internet html java) near5 tag\$4)	1	1
		and (wild\$7)		1
_	5	1	USPAT;	2003/01/30
		nearl1 ((user computer client member)	EPO; JPO;	16:13
		near11 ((dser computer crient member) near7 (profil\$4 propert\$6 attribut\$4))	DERWENT;	1 10.10
				•
		and ((link\$4 hyperlink\$4 hyper-link\$4	IBM_TDB	1
		hyper\$7 web site internet html java)		
	l	near5 tag\$4) and (wild\$7)	L	1

4	D.
1	

-	71	<pre>(select\$6 pick\$4 click\$4) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user client member) near7 (profil\$4 propert\$6 attribut\$4)) and (wildcard\$4 wild\$6)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 16:35
-	32		USPAT; EPO; JPO; DERWENT; IBM TDB	2003/01/30 16:35
-	50	1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 16:26
-	47	<pre>(web site internet html java) and (select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user client member) near7 (profil\$4 propert\$6 attribut\$4)) and (wildcard\$4 wild\$6)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 16:31
-	27		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/31 10:55
-	24		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/30
_	197	(select\$6 pick\$4 click\$4) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) and ((user client member) near7 (profil\$4 propert\$6 attribut\$4)) and ((prompt\$6 que\$5) near5 (user member client computer) near8 (transmi\$7 transfer\$4 send\$4 forward\$4)) not ((select\$6 pick\$4 click\$4) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user client member) near7 (profil\$4 propert\$6 attribut\$4)) and ((prompt\$6 que\$5) near5 (user member client computer) near8	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/30
	43	hyperlink\$4 hyper-link\$4 hyper\$7) and ((user client member) near7 (profil\$4 propert\$6 attribut\$4)) and ((prompt\$6 que\$5) adj3 (user member client computer) adj6 (transmi\$7 transfer\$4 send\$4 forward\$4)) not ((select\$6 pick\$4 click\$4) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user client member) near7 (profil\$4 propert\$6 attribut\$4)) and ((prompt\$6 que\$5) near5 (user member client computer) near8	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/30
_		<pre>(transmi\$7 transfer\$4 send\$4 forward\$4))) ((prompt\$6 que\$5) adj3 (user member client computer) adj6 (transmi\$7 transfer\$4 send\$4 forward\$4) near11 (profil\$4 propert\$6 attribut\$4)) (server near11 (cookie ((internet\$4 web site) near2 (fil\$4 information data))) near11 (sav\$4 stor\$4)) same (ad advertis\$4) and ((user member client computer) near9 (profil\$4 propert\$6 attribut\$4))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/31 13:25 2003/01/30 18:03
		400112407311	1	L





_	16		USPAT;	2003/01/30
		site) near2 (fil\$4 information data)))	EPO; JPO;	18:04
		nearll (sav\$4 stor\$4)) same (ad	DERWENT;	1
		advertis\$4) and (((user member client	IBM_TDB	
		computer) near9 (profil\$4 propert\$6	_	
		attribut\$4)) permission\$4)		1
_	0	(server nearl1 (cookie ((internet\$4 web	USPAT;	2003/01/30
		site) near2 (fil\$4 information data)))	EPO; JPO;	18:05
		nearl1 (sav\$4 stor\$4)) same (ad	DERWENT;	1
		advertis\$4) and (permission\$4)	IBM TDB	
_	16	1	USPAT;	2003/01/30
		site) near2 (fil\$4 information data)))	EPO; JPO;	18:05
		nearl1 (sav\$4 stor\$4)) same (ad	DERWENT;	
		advertis\$4) and (permi\$7)	IBM TDB	
_	4	((web site internet html java) same	USPAT;	2003/01/31
	_	(program\$5 application)) and (link\$4	EPO; JPO;	10:10
		hyperlink\$4 hyper-link\$4 hyper\$7) same	DERWENT;	•
		((prompt\$4 que\$4 permi\$6) near11 (user	IBM TDB	
		computer client member) near7 (profil\$4	_	
		propert\$6 attribut\$4)) and (wildcard wild		
		wild-card)	}	
_	6		USPAT;	2003/01/31
		client computer) adj6 (profil\$4 propert\$6	EPO; JPO;	10:18
		attribut\$4)) and ((server nearl1 (cookie	DERWENT;	
		((internet\$4 web site) near2 (fil\$4	IBM TDB	
		information data))) near11 (sav\$4	_	
		stor\$4)))		
_	6		USPAT;	2003/01/31
		client computer) adj6 (profil\$4 propert\$6	EPO; JPO;	10:21
		attribut\$4)) and ((server nearl1 (cookie	DERWENT;	
		((internet\$4 web site) near2 (fil\$4	IBM TDB	
		information data))) near11 (sav\$4		
		stor\$4))) and (prompt\$6 profil\$4)		
_	9	(web internet html java) and (select\$6	USPAT;	2003/01/31
		pick\$4 click\$4) near11 (link\$4	EPO; JPO;	10:58
		hyperlink\$4 hyper-link\$4 hyper\$7) same	DERWENT;	
		((user client member) near7 (profil\$4	IBM TDB	
		propert\$6 attribut\$4)) and (wildcard\$4		
		wild-card (wild adj card))		
	L	with cath (with any cath)	l	1